

**PNEUMATIC TENSIONER FOR STEEL STRAP WITH SEAL — FLAT AND ROUND SURFACE— USING WITH SEALERS MODEL STP / STPM****TECHNICAL DATA / APPLICATIONS :**

Pneumatic tensioner easy to use and set. Strong and reliable to use in industrial heavy applications. Available standard with push button version is also supplying, on demand, in choke collar version. The particular conformation is able to use straps from 19mm(3/4") up to 32mm(1-1/4") without any adjustments.

Package type	Flat, round and irregular surfaces
Strap quality	Bright- blue—high tensile Rmax=1100 N/mm2
Strap Width	From 19mm up to 32mm (3/4"- 1-1/4")
Strap thickness	From 0,6 up to 1,1mm (0.024"- 0.043")
Max. tension	Around 9000 N
Air pressure and consumption	from 5 up to 6,5 bar MAX / 12 Lt /sec
Max. tensioning speed	Around 6 mt / min
Weight	Around 4,1 Kg (button) - 4,3 Kg (choke collar)
Order code push button version	104.990.110
Order code choke collar version	104.990.120

**PUSH BUTTON VERSION**

- \* **ERGONOMIC AND MODERN DESIGN**
- \* **LIGHT AND COMPACT**
- \* **EASY TO USE**
- \* **EQUIPPED BY BOSCH PNEUMATIC MOTORS**

**CHOKE COLLAR VERSION**

# STTR 19 (3/4")-25 (1")-32 (1-1/4")


- EASY AND FAST ADJUSTMENTS

- EASY ACCES TO CLEAN AND TO PERFORM MAINTENANCE

USE THIS SCREW TO ADJUST THE STRAP THICKNESS



ANTIFRICTION ROLLER



USE THIS SCREW TO ADJUST THE GAP BETWEEN THE FEEDWHEEL AND ROLLER

USE THIS SCREW TO ADJUST THE TENSION FORCE VALUE




THE CHOKE COLLAR COULD BE TURNED IN BOTH WAYS



USE THIS SCREW TO ADJUST THE TENSION FORCE VALUE



THE PUSH BUTTON VERSION IS ABLE TO USE SIMULTANEOUSLY TENSIONER AND SEALER MODEL STP




HOLE TO CONNECT THE PNEUMATIC SEALER



### TYPICAL APPLICATIONS

S  
A  
M  
P  
L  
E  
S  
  
O  
F  
  
U  
S  
E



- \* MECHANICAL INDUSTRIES
- \* CARPENTRY
- \* IRON BANDS, COILS, PIPES
- \* METALLURGY
- \* WOOD



SAMPLE OF COMBINATION STTR + STPM AND STTR + STP

### ACCESSORIES

- BALANCERS 3-6 Kg CODE 605.080.080
- FILTER + LUBRIFICATOR + PRESSURE ADJ GROUP CODE 601.010.830
- SPIRAL LONG PIPE MT.15 WITH AIR CONNECTIONS ON TIPS CODE 281.218.300

ALL SPECIFICATIONS ARE CORRECT AT TIME OF PRINT, ARE FOR GUIDANCE PURPOSE ONLY AND SUBJECT TO CHANGE WITHOUT PRIOR NOTICE –09/04

COLUMBIA S.r.l. Packing Systems & Materials -Via Della Repubblica, 44 – SOLARO (MI) – ITALY

TEL. +39.02.96790381 – FAX +39.02.96790397 – columbiatools@columbiatools.net—www.columbiatools.it